



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

iron frame, called a *chase*. The intermediate spaces between the pages are filled up with small blocks of metal, (in some offices wood is used), suited to the size of the page and the margin required, and then firmly locked up with small wooden wedges, called quoins, so as to form altogether, apparently, one solid piece of metal. This is called a form, and being laid on the proof-press, an impression is taken off, in the manner hereafter described; This first proof is submitted to the reader, who compares it with the copy or MS., and corrects any error which may have been made by the compositor. This being corrected in the types, another proof is taken, and sent to the author, which having been again corrected, and again read and revised, is finally marked for press; and when the necessary number of copies are printed off at press, the types are then returned to the compositor, who distributes them once more into the cases from whence he had before taken them. This is a very quick and nice operation, inasmuch as the fingers and the mind must act in concert, much in the same way as is required in playing on a keyed instrument.

When the art of printing was at first established, it was esteemed the glory of the learned to be correctors of the press to eminent printers. Physicians, lawyers, and even bishops occupied this department. The printers then frequently added to their names those of the correctors of the press, and editions were thus valued according to the ability of the corrector.

As errors of various kinds will present themselves to an author in the printer's proof sheet, we subjoin a few of the marks generally used by those who are correctors or readers for the press; they are the marks in general use, and will enable an author to mark his proof so as to be understood by the compositor.

When a word is incorrectly spelled, mark the wrong letter in the word with a stroke of the pen, and place the letter to be substituted in the margin opposite, thus,

For a letter turned upside down, thus,

To take out an unnecessary letter or word, thus,

When two words are run together to mark a space or division between them, thus,

When two words or portions of a sentence to be transposed, thus,

When two paragraphs are to be joined in one, thus,

When a word is omitted, mark a caret in the place where the omission is made, and the word in the margin: when a word has been omitted, thus,

To change a word or words to *Italic*, thus,

To small capitals, thus,

To capitals, thus,

To retain a word or sentence by mistake marked out with the pen, thus,

To substitute comma, or supply semicolon, or full-point, thus,

To straighten crooked letters, thus,

To mark new paragraph, thus,

When a long sentence is omitted, thus, or write the omission in the margin.

o

9

δ

#

tr.

run on.

been

Ital.

s. caps.

caps.


stet.

/, /;

⊙

N. Par.

out, see copy



THE PRESS-ROOM.

There is no department of the printing business which has undergone a more thorough alteration than the Press-Room, within the last twenty years. For the old-fashioned,

clumsy, wooden press, the entire power of which was confined to the operation of the lever and screw in their least effective construction, we have now substituted those

elegantly constructed iron presses, which have, from time to time, appeared under the name of the Stanhope, the Clymer, and the Columbian, a specimen of each of these may be seen in our office. As a guide to our printing friends in the country, we would observe that for the larger we prefer the Columbian, and for the smaller a very neat press made by Mr Joseph Aldritt, jun. of this city, which takes its power from two little joints that act upon the platten, something very much in the manner of the joints of the elbow, which bring upon the type a fair, equal, and good impression.

In place of the large balls made of sheep-skin, stuffed with wool, and by which there was a vast waste of ink and labour, we have now the neatly formed roller, composed of the proper proportions of glue and treacle,* suited to the various seasons of the year, and which takes up the ink and gives it off again on the type, in a way much superior to the former method. As many of our readers, however, may never have had the opportunity of examining a printing office, we shall endeavour to make this portion of the process intelligible to them.

The form, that is the types arranged within the iron frame, called the *chase*, which we have described, being placed upon the table, or level surface of the press, is now *made ready* by one of the pressmen. This is rather a particular department of the business; as in small works considerable care is required to make *good register*, or, in other words, to make the various corresponding pages fall on the back of each other, and, unless this were done, the printing would have a very bad appearance; which will account for the same charge being made for working off ten copies of any publication that would be made for two hundred and fifty, the same trouble being requisite. This part of the work being at length properly adjusted, one of the pressmen, after passing his roller several times over a board which lies before him covered with ink (which we may observe, by the way, is composed of lamp-black and oil), then rolls it backward and forward across the form of type. His companion, in the mean time, has taken a sheet from the heap of paper before him, which had been previously damped, and laid it on the tympan, which he turns down on the type, and rolling it in under the point of pressure by the rounce-handle, pulls the bar, and thus makes the impression. In the hands of a person unacquainted with the art, a considerable time would be required for each sheet, while an experienced pressman will frequently lay on, print, and take off eight sheets in a minute; and this with such exactness as never to cause the sheet to deviate in the least degree from the spot marked out by two little points which pierce the paper on printing the one side, and which form the guide for printing the other. The rapidity with which these operations are performed appears extraordinary to those unaccustomed to the art, but when we come to consider the performance of the machine, the effects of manual labour, extraordinary as they may have appeared, will be thrown altogether into the shade.

The required number of sheets, on being worked off, are handed to the warehouseman, who hangs them up to dry, who in a day or two having placed each sheet separately between glazed boards, subjects the entire to the pressure of an Hydrostatic press of three hundred tons power.—This not only takes off the indention caused by the types on the paper, but gives it a fine smooth surface, which very much improves the appearance of the work. This last operation, however, is confined to the finer descriptions of book-work: with such a publication as the Penny Journal, or common school books, it would occasion too much loss of time and trouble to admit of its being generally done.

* Rollers are a composition of glue and treacle, which when heated into a liquid state are cast in a mould, round a cone of wood, and when cold, on being extracted from the mould, are found sufficiently firm and consistent to answer the required purpose.

In our observations relative to the operation of printing, we have heretofore been speaking of the common press. We shall now proceed to the

PRINTING MACHINE.

We would here request the reader to refer for a moment to the engraving of our machine, which we have given in our first page. He will at once perceive that its operations are very different from those of the common press. In the latter he will notice that the surface of the platten, which gives the impression to the type, is a plate placed in a horizontal position, and that the impression is produced by a screw and levers acting directly and at the same moment on the entire surface of the form of types to be printed; while in the machine the impression is taken off by rollers, under which the types are made to pass on an iron or steel table, and which works from one end of the machine to the other. He will also notice that while in the common press only one side of the sheet is printed, both sides are worked off during the operation by the machine. To explain this more fully we again refer to the engraving. The boy, A, is seen placing a sheet of white paper on a number of tapes, which pass round cylinder B, and which latter, during each evolution, carries the sheet with it, just in time to meet the form of types which are placed on table C, and which give off an impression as they pass under the cylinder. By a very simple arrangement of the tapes round the small roller or drums, D and E, the sheet, now half printed, is conducted to cylinder F, which, as it revolves, meets the other form of types, and receiving the impression on the other side, is now thrown out, completed, to the boy G, who lays it on the table at the side of the machine. The entire operation is so extremely simple, that a few moments examination of the engraving, with the explanation, will make the process perfectly intelligible. The inking of the types is performed by the small rollers, H, H, and the assistance of what is called the Doctor: by a small lever and pinion the roller is raised up to where a large iron roller (the Doctor) is revolving in a small trough filled with ink, and from which, at every evolution, it takes a little, which it again lays down on the end of the table, which carries the types under the cylinders, and which passing under the rollers, H, H, imparts the necessary quantity to them, which they again give off to the types during the motion backwards and forwards under them.

Having thus given a familiar, though brief, description of the process of printing by the machine, we shall now mention a few of the advantages which it possesses over the common printing press. The greatest of these we conceive to be the time saved in the operation, and the large size of the sheet which it will print.

The number of impressions produced per hour on the Columbian, Stanhope, or improved press, of the generality of book-work, is two hundred and fifty per hour, by the joint exertions of two men—the one inking the types with the roller, the other laying on the sheet, and taking off the impression—the machine, with two boys, one to print the sheets, and the other to take them out, would produce seven hundred and fifty sheets printed on both sides—that is fifteen hundred impressions; and when two are worked together, as in the case of the Penny Journal, three thousand impressions in the hour. This will at once shew the advantage of the machine in works requiring expedition, or where a large number are to be worked off; as it will appear that while one thousand perfect copies is all that could be produced by a common press, with two men, in one day, the machine will produce fifteen thousand copies in the same time.

With regard to the saving of time, however, when stereotype plates are used, the advantage is greatly lessened, as the time it takes to make ready a stereotype form is very considerable. The machine can only be applied with advantage, therefore, in long numbers, as from the time it takes to make ready forms, even of moveable type, it would not be worth while printing any number under two thousand on it.